

Originator : WILLIAM MORGAN Schedule Date :
Planner : JIMMIE KNAPP Priority : 3A
Drawing No : 2SGB-M2064A Clearance : NO
Equip No/Cat: 2SGB--0 3 Tag Request :
Project ID : 2SGB-FAN-2A Text ID :
Shutdown : U Unit Frequency : NOT SCHEDULED
Ref No : Last Reading : No Reading

Date Completed: _____ Failure Code: _____
Completed By : _____ Signature : _____
Accepted By : _____ Signature : _____

** Delay Codes Legend **

W=Whse C=CrSp T=Tag TL=Tool P=Plan
** Record Time Daily ** Delays

Step	Job Scope	MN	DY	Safety and Additional Information	Emp No	Date	Hours	Code/Hrs
1	PRE-OUTAGE AND OUTAGE WORK FOR OVERFIRE AIR SYSTEM. WORK ON CCS SYSTEM TO INSTALL AND WIRE NEW CARDS, PROGRAM AND TEST. LINEUP OF EACH JORDAN AMPLIFIER ON OVERFIRE AIR DAMPERS. 0208.013 & 1690.0511 ***** JOB SCOPE: 1. DISCUSS THE WORK TO BE DONE WITH THE UNIT OPERATOR. INFORM HIM OF ANY PROBLEMS WITH ALARMS, CONTROLS, OR INDICATIONS THAT MAY OCCUR AS A RESULT OF THIS WORK. 2. CORRECT ALL PROBLEMS FOUND ON THIS WORK ORDER UNLESS PARTS ARE NEEDED THAT ARE NOT IN THE WAREHOUSE OR A CLEARANCE IS NEEDED TO DO THE JOB SAFELY. 3. PROVIDE ASSISTANCE AS DIRECTED BY KEN NIELSON ON THE OVER FIRE AIR PROJECT. INSTALL AND WIRE UP THE DAMPER DRIVES AND AMPLIFIERS. PROGRAM AND TEST THE AMPLIFIERS WITH THE CCS TO VERIFY PROPER OPERATION. 4. VERIFY ALL CONSTRUCTION WIRING, NOTE REQUIRED CHANGES TO THE DRAWINGS AND RETURN WITH THIS WORK ORDER SO THEY CAN BE CORRECTED. 5. PLEASE NOTE ALL PROBLEMS FOUND AND ANY CORRECTIVE ACTION TAKEN TO RETURN THE SYSTEM TO NORMAL OPERATION.	2	1	***** SAFETY / ENVIRONMENTAL REQUIREMENTS: A. THIS AREA WILL BE EXTREMELY HAZARDOUS DURING THE OUTAGE. BE VERY CAREFUL WHERE YOU WORK, AND BE OBSERVANT ABOUT YOUR SURROUNDINGS AND OTHER WORK IN PROGRESS. ***** ADDITIONAL INFORMATION: a. THE DAMPER DRIVES WILL BE INSTALLED ON THE FRONT AND REAR OF THE BOILER, NINTH FLOOR. b. KEN NIELSON WILL BE THE PRIMARY SOURCE OF INFORMATION FOR THIS WORK, BILL MORGAN WILL BE THE BACKUP. c. ALL PARTS FOR THIS WORK HAVE BEEN ORDERED BY KEN, THEY SHOULD BE STAGED IN THE WAREHOUSE FOR YOU TO INSTALL. d. THE CAPITAL PROJECT NUMBER FOR THIS WORK IS IGS02-14.				

** IMPORTANT NOTICE **

YOU ARE RESPONSIBLE FOR YOUR OWN SAFETY AND MUST ENSURE THAT THE REQUIRED PPE IS WORN FOR EVERY JOB YOU ARE DOING. IF YOU HAVE ANY QUESTIONS CONCERNING THE WORK RULES, SAFETY CODES, OR REQUIRED PPE, PLEASE CONTACT YOUR SUPERVISOR.

Job Feedback/Historical Notes:



02-60456-57

IP7_037453

** Work Order Parts List **							
Part No	Description	PO/Req/SIR	Date Due	U/M	Reqd	Commit	Issued/Rcvd
-----	-----	-----	-----	---	-----	-----	-----
1 51575	TERMINAL, RING TONGUE	S 275276*	03/04/04	EA	500	0	500